ELSEVIER

Analytica Chimica Acta 539 (2005) 357–359

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author index

Abdel-Rehim, M.
—, Skansen, P., Vita, M., Hassan, Z., Blomberg, L. and Hassan, M.
Microextraction in packed syringe/liquid chromatography/electrospray tandem mass spectrometry for quantification of olomoucine in human plasma samples 35
Aldstadt III, J.H., see Roerdink, A.R. 181
Amini, N.
—, Cardwell, T.J., Cattrall, R.W. and Kolev, S.
Determination of mercury(II) at trace levels by gas-diffusion flow injection analysis with amperometric detection 203
Andrade, F.J., see Crespo, G.A. 317
Angnes, L., see do Socorro Maia Quintino, M. 215
Araki, K., see do Socorro Maia Quintino, M. 215
Atvars, T.D.Z., see Moreira, A.B. 257

Band, B.S.F., see Llamas, N.E. 301
Barbosa, J., see Hermo, M.P. 77
Barrado, E., see Rodríguez, J.A. 229
Barrón, D., see Hermo, M.P. 77
Blasco, A.J.
—, Rogerio, M.C., González, M.C. and Escarpa, A.
"Electrochemical Index" as a screening method to determine "total polyphenolics" in foods: A proposal 237
Blomberg, L., see Abdel-Rehim, M. 35
Bortoleto, G.G.
—, Pataca, L.C.M. and Bueno, M.I.M.S.
A new application of X-ray scattering using principal component analysis – classification of vegetable oils 283
Bryant, D., see Clinton, R. 133
Bucur, B.
—, Dondoi, M., Danet, A. and Marty, J.-L.
Insecticide identification using a flow injection analysis system with biosensors based on various cholinesterases 195
Bueno, M.I.M.S., see Bortoleto, G.G. 283
Burns, D.T.
— and Doolan, K.P.
A comparison of pyrolysis–gas chromatography–mass spectrometry and fourier transform infrared spectroscopy for the characterisation of automative paint samples 145
Burns, D.T.
— and Doolan, K.P.
The discrimination of automotive clear coat paints indistinguishable by Fourier transform infrared spectroscopy via pyrolysis–gas chromatography–mass spectrometry 157

Cardwell, T.J., see Amini, N. 203
Casas, M., see Fajardo, Y. 189
Cattrall, R.W., see Amini, N. 203
Cerdà, V., see Fajardo, Y. 189
Chang, C.-M.
—, Chou, C.-C. and Lee, M.-R.
Determining leaching of bisphenol A from plastic containers by solid-phase microextraction and gas chromatography–mass spectrometry 41
Chen, J.-L., see Zhu, C.-Q. 311
Chia, K.-J.
— and Huang, S.-D.
Simultaneous derivatization and extraction of amphetamine-like drugs in urine with headspace solid-phase microextraction followed by gas chromatography–mass spectrometry 49
Chou, C.-C., see Chang, C.-M. 41
Clinton, R.
—, Creaser, C.S. and Bryant, D.
Real-time monitoring of a pharmaceutical process reaction using a membrane interface combined with atmospheric pressure chemical ionisation mass spectrometry 133
Cozzolino, D.
—, Smyth, H.E., Lattey, K.A., Cynkar, W., Janik, L., Dambergs, R.G., Francis, I.L. and Gishen, M.
Relationship between sensory analysis and near infrared spectroscopy in Australian Riesling and Chardonnay wines 341
Creaser, C.S., see Clinton, R. 133
Crespo, G.A.
—, Andrade, F.J., Iñón, F.A. and Tudino, M.B.
Kinetic method for the determination of trace amounts of copper(II) in water matrices by its catalytic effect on the oxidation of 1,5-diphenylcarbazide 317
Cynkar, W., see Cozzolino, D. 341

Dadfarnia, S.
—, Haji Shabani, A.M., Tamaddon, F. and Rezaei, M.
Immobilized salen (*N*,*N*′-bis (salicylidene) ethylenediamine) as a complexing agent for on-line sorbent extraction/preconcentration and flow injection–flame atomic absorption spectrometry 69
Dambergs, R.G., see Cozzolino, D. 341
Danet, A., see Bucur, B. 195
Di Nezio, M.S., see Llamas, N.E. 301
Dias, I.L.T., see Moreira, A.B. 257
Dondoi, M., see Bucur, B. 195
Doolan, K.P., see Burns, D.T. 145, 157
do Socorro Maia Quintino, M.
—, Winnischofer, H., Nakamura, M., Araki, K., Toma, H.E. and Angnes, L.
Amperometric sensor for glucose based on electrochemically polymerized tetraruthenated nickel-porphyrin 215
Dowling, G.
—, O'Keeffe, M. and Smyth, M.R.
Determination of robenidine in eggs by liquid chromatography with UV spectrophotometric detection 31

Escarpa, A., see Blasco, A.J. 237
Euzet, P.
—, Giardi, M.T. and Rouillon, R.

doi:10.1016/S0003-2670(05)00704-X

A crosslinked matrix of thylakoids coupled to the fluorescence transducer in order to detect herbicides 263

Fajardo, Y.
—, Gómez, E., Garcias, F., Cerdà, V. and Casas, M.
Multisyringe flow injection analysis of stable and radioactive yttrium in water and biological samples 189
Fang, M., see Zhou, Z.-M. 23
Fioux, P., see Siffer, F. 289
Forlay-Frick, P.
—, Van Gyseghem, E., Héberger, K. and Vander Heyden, Y.
Selection of orthogonal chromatographic systems based on parametric and non-parametric statistical tests 1
Francis, I.L., see Cozzolino, D. 341
Freitag, R., see Szekely, L. 165
Frontera, A.D., see March, J.G. 305

Gan, W.-e., see Zhang, W.-b. 335
Garcias, F., see Fajardo, Y. 189
Giardi, M.T., see Euzet, P. 263
Gishen, M., see Cozzolino, D. 341
Godlewska-Żyłkiewicz, B.
— and Kozłowska, M.
Solid phase extraction using immobilized yeast *Saccharomyces cerevisiae* for determination of palladium in road dust 61
Gómez, E., see Fajardo, Y. 189
González, M.C., see Blasco, A.J. 237
Gual, M., see March, J.G. 305
Guzmán-Vázquez de Prada, A.
—, Martínez-Ruiz, P., Reviejo, A.J. and Pingarrón, J.M.
Solid-phase molecularly imprinted on-line preconcentration and voltammetric determination of sulfamethazine in milk 125

Haji Shabani, A.M., see Dadfarnia, S. 69
Hassan, M., see Abdel-Rehim, M. 35
Hassan, Z., see Abdel-Rehim, M. 35
Hayatsu, Y., see Kawaguchi, M. 83
Héberger, K., see Forlay-Frick, P. 1
Hermo, M.P.
—, Barrón, D. and Barbosa, J.
Determination of residues of quinolones in pig muscle. Comparative study of classical and microwave extraction techniques 77
Hong, J.E.
—, Pyo, H., Park, S.-J. and Lee, W.
Solid-phase microextraction with on-fiber derivatization for the determination of hydroxy-polychlorinated biphenyl compounds in urine 55
Huang, S.-D., see Chia, K.-J. 49
Hulvey, M.K., see Messick, M.S. 223

Iñón, F.A., see Crespo, G.A. 317
Ishii, Y., see Kawaguchi, M. 83
Ito, R., see Kawaguchi, M. 83

Janik, L., see Cozzolino, D. 341
Jaroszyńska, J.
— and Ligor, T.
The identification of phenolic compounds by a gas chromatographic method on three capillary columns with the same non-polar stationary phase 11

Kawaguchi, M.
—, Hayatsu, Y., Nakata, H., Ishii, Y., Ito, R., Saito, K. and Nakazawa, H.
Molecularly imprinted solid phase extraction using stable isotope labeled compounds as template and liquid chromatography–mass spectrometry for trace analysis of bisphenol A in water sample 83
Kolev, S., see Amini, N. 203
Kozłowska, M., see Godlewska-Żyłkiewicz, B. 61
Krishnan, S.K., see Messick, M.S. 223
Kubota, L.T., see Moreira, A.B. 257
Larner, B.L.
— and Seen, A.J.
Evaluation of paper-based diffusive gradients in thin film samplers for trace metal sampling 349
Lattey, K.A., see Cozzolino, D. 341
Lee, M.-R., see Chang, C.-M. 41
Lee, W., see Hong, J.E. 55
Li, L.-D., see Wu, Y.-L. 271
Ligor, T., see Jaroszyńska, J. 11
Lima, J.L.F.C., see Pinto, P.C.A.G. 173
Lima, J.L.F.C., see Rodríguez, J.A. 229
Lin, X.-q., see Zhang, W.-b. 335
Lindroos, H., see Valanne, A. 251
Liu, J.-M., see Wu, Y.-L. 271
Llamas, N.E.
—, Di Nezio, M.S., Palomeque, M.E. and Band, B.S.F.
Automated turbidimetric determination of cyclamate in low calorie soft drinks and sweeteners without pre-treatment 301
Lövgren, T., see Valanne, A. 251
Luo, L.
—, Zhang, Z. and Ma, L.
Determination of recombinant human tumor necrosis factor-α in serum by chemiluminescence imaging 277

Ma, L., see Luo, L. 277
March, J.G.
—, Gual, M. and Frontera, A.D.
o-Tolidine: A new reagent for a simple nephelometric determination of anionic surfactants 305
Martínez-Ruiz, P., see Guzmán-Vázquez de Prada, A. 125
Marty, J.-L., see Bucur, B. 195
Mergias, I.G., see Tsopelas, F.N. 327
Merli, D., see Profumo, A. 245
Messick, M.S.
—, Krishnan, S.K., Hulvey, M.K. and Steinle, E.D.
Development of anion selective polymer membrane electrodes based on lutetium(III) porphyrins 223
Minakata, K.
—, Suzuki, M. and Suzuki, O.
Rapid and decisive determination of Cr^{6+} using electrospray ionization mass spectrometry 141
Moreira, A.B.
—, Oliveira, H.P.M., Atvars, T.D.Z., Dias, I.L.T., Neto, G.O., Zagatto, E.A.G. and Kubota, L.T.
Direct determination of paracetamol in powdered pharmaceutical samples by fluorescence spectroscopy 257
Musameh, M., see Wang, J. 209

Nakamura, M., see do Socorro Maia Quintino, M. 215
Nakata, H., see Kawaguchi, M. 83
Nakazawa, H., see Kawaguchi, M. 83
Neto, G.O., see Moreira, A.B. 257
Nian, Y.-M., see Syu, M.-J. 97

O'Keeffe, M., see Dowling, G. 31
Ochsenkühn-Petropoulou, M.Th., see Tsopelas, F.N. 327
Oliveira, H.P.M., see Moreira, A.B. 257

Palomeque, M.E., see Llamas, N.E. 301
Park, S.-J., see Hong, J.E. 55
Partyka, M., see Sowiński, P. 17
Pataca, L.C.M., see Bortoleto, G.G. 283
Pesavento, M., see Profumo, A. 245
Pingarrón, J.M., see Guzmán-Vázquez de Prada, A. 125

Pinto, P.C.A.G.
—, Saraiva, M.L.M.F.S., Santos, J.L.M. and Lima, J.L.F.C.
A pulsed sequential injection analysis flow system for the fluorimetric determination of indomethacin in pharmaceutical preparations 173
Ponche, A., see Siffer, F. 289
Prieto, F., see Rodríguez, J.A. 229
Profumo, A.
—, Merli, D. and Pesavento, M.
Voltammetric determination of inorganic As(III) and total inorganic As in natural waters 245
Pyo, H., see Hong, J.E. 55

Reviejo, A.J., see Guzmán-Vázquez de Prada, A. 125
Rezaei, M., see Dadfarnia, S. 69
Ríos, A., see Zougagh, M. 117
Rodríguez, J.A.
—, Barrado, E., Vega, M., Prieto, F. and Lima, J.L.F.C.
Construction and evaluation of As(V) selective electrodes based on iron oxyhydroxide embedded in silica gel membrane 229
Roerdink, A.R.
— and Aldstadt, III, J.H.
Sequential injection absorption spectrophotometry using a liquid-core waveguide: Determination of *p*-arsanilic acid in natural waters 181
Rogerio, M.C., see Blasco, A.J. 237
Roucoules, V., see Siffer, F. 289
Rouillon, R., see Euzet, P. 263

Saito, K., see Kawaguchi, M. 83
Santos, J.L.M., see Pinto, P.C.A.G. 173
Saraiva, M.L.M.F.S., see Pinto, P.C.A.G. 173
Schultz, J., see Siffer, F. 289
Seen, A.J., see Larner, B.L. 349
Siffer, F.
—, Ponche, A., Fioux, P., Schultz, J. and Roucoules, V.
A chemometric investigation of the effect of the process parameters during maleic anhydride pulsed plasma polymerization 289
Skansen, P., see Abdel-Rehim, M. 35
Smyth, H.E., see Cozzolino, D. 341
Smyth, M.R., see Dowling, G. 31
Soukka, T., see Valanne, A. 251
Sowiński, P.
—, Wardencki, W. and Partyka, M.
Development and evaluation of headspace gas chromatography method for the analysis of carbonyl compounds in spirits and vodkas 17
Steinle, E.D., see Messick, M.S. 223
Striegler, S.
—
Discrimination of epimeric disaccharides by templated polymers 91
Suzuki, M., see Minakata, K. 141
Suzuki, O., see Minakata, K. 141
Syu, M.-J., see Tsai, H.-A. 107
Syu, M.-J.
— and Nian, Y.-M.
An allosteric model for the binding of bilirubin to the bilirubin imprinted poly(methacrylic acid-co-ethylene glycol dimethylacrylate) 97
Szekely, L.
— and Freitag, R.
Module for real time non-invasive control of the electroosmotic flow in microfluidic systems 165

Tamaddon, F., see Dadfarnia, S. 69
Toma, H.E., see do Socorro Maia Quintino, M. 215
Tsai, H.-A.
— and Syu, M.-J.
Synthesis and characterization of creatinine imprinted poly(4-vinylpyridine-*co*-divinylbenzene) as a specific recognition receptor 107
Tsakanika, L.V., see Tsopelas, F.N. 327
Tsopelas, F.N.
—, Ochsenkühn-Petropoulou, M.Th., Mergias, I.G. and Tsakanika, L.V.
Comparison of ultra-violet and inductively coupled plasma-atomic emission spectrometry for the on-line quantification of selenium species after their separation by reversed-phase liquid chromatography 327
Tudino, M.B., see Crespo, G.A. 317

Valanne, A.
—, Lindroos, H., Lövgren, T. and Soukka, T.
A novel homogeneous assay format utilising proximity dependent fluorescence energy transfer between particulate labels 251
Valcárcel, M., see Zougagh, M. 117
Van Gyseghem, E., see Forlay-Frick, P. 1
Vander Heyden, Y., see Forlay-Frick, P. 1
Vega, M., see Rodríguez, J.A. 229
Vita, M., see Abdel-Rehim, M. 35

Wang, J.
— and Musameh, M.
Carbon-nanotubes doped polypyrrole glucose biosensor 209
Wardencki, W., see Sowiński, P. 17
Winnischofer, H., see do Socorro Maia Quintino, M. 215
Wu, Y.-L.
—, Li, L.-D., Liu, J.-M. and Zhu, G.-H.
The enhancement effect of $CaCl_2$ on solid substrate room temperature phosphorescence of polyhalogenated derivatives of fluorescein and application in immunoassay 271
Wu, Y.-Q., see Zhu, C.-Q. 311

Xu, J.-G., see Zhu, C.-Q. 311

Yu, C.-X., see Zhou, Z.-M. 23

Zagatto, E.A.G., see Moreira, A.B. 257
Zhang, W.-b.
—, Gan, W.-e. and Lin, X.-q.
Electrochemical hydride generation atomic fluorescence spectrometry for the simultaneous determination of arsenic and antimony in Chinese medicine samples 335
Zhang, Z., see Luo, L. 277
Zheng, H., see Zhu, C.-Q. 311
Zhou, Z.-M.
—, Fang, M. and Yu, C.-X.
Synthesis and chromatographic properties of α-Schiff bases (6-imino)-β-cyclodextrin bonded silica for stationary phase of liquid chromatography 23
Zhu, C.-Q.
—, Chen, J.-L., Zheng, H., Wu, Y.-Q. and Xu, J.-G.
A colorimetric method for fluoride determination in aqueous samples based on the hydroxyl deprotection reaction of a cyanine dye 311
Zhu, G.-H., see Wu, Y.-L. 271
Zougagh, M.
—, Ríos, A. and Valcárcel, M.
Automatic selective determination of caffeine in coffee and tea samples by using a supported liquid membrane-modified piezoelectric flow sensor with molecularly imprinted polymer 117